
Aries Cloud Agent Python Documentation

Nicholas Rempel, Andrew Whitehead, Ian Costanzo, Stephen Klur

Jul 27, 2020

Aries Cloud Agent Python - Modules

1	aries_cloudagent package	3
1.1	Subpackages	3
1.1.1	aries_cloudagent.admin package	3
1.1.2	aries_cloudagent.cache package	3
1.1.3	aries_cloudagent.commands package	3
1.1.4	aries_cloudagent.config package	4
1.1.5	aries_cloudagent.core package	4
1.1.6	aries_cloudagent.holder package	4
1.1.7	aries_cloudagent.indy package	5
1.1.8	aries_cloudagent.issuer package	5
1.1.9	aries_cloudagent.ledger package	5
1.1.10	aries_cloudagent.messaging package	5
1.1.11	aries_cloudagent.revocation package	7
1.1.12	aries_cloudagent.storage package	7
1.1.13	aries_cloudagent.transport package	8
1.1.14	aries_cloudagent.utils package	9
1.1.15	aries_cloudagent.verifier package	9
1.1.16	aries_cloudagent.wallet package	9
1.2	Submodules	10
1.3	aries_cloudagent.version module	10
2	aries_cloudagent.connections package	11
2.1	Subpackages	11
2.1.1	aries_cloudagent.connections.models package	11
3	aries_cloudagent.protocols package	13
3.1	Subpackages	13
3.1.1	aries_cloudagent.protocols.actionmenu package	13
3.1.2	aries_cloudagent.protocols.basicmessage package	14
3.1.3	aries_cloudagent.protocols.connections package	15
3.1.4	aries_cloudagent.protocols.discovery package	16
3.1.5	aries_cloudagent.protocols.introduction package	17
3.1.6	aries_cloudagent.protocols.issue_credential package	18
3.1.7	aries_cloudagent.protocols.present_proof package	19
3.1.8	aries_cloudagent.protocols.problem_report package	20
3.1.9	aries_cloudagent.protocols.routing package	21
3.1.10	aries_cloudagent.protocols.trustping package	22

Hyperledger Aries Cloud Agent Python (ACA-Py) is a foundation for building decentralized identity applications and services running in non-mobile environments.

This is the Read The Docs site for the Hyperledger [Aries Cloud Agent Python](#). This site contains only the ACA-Py docstrings documentation extracted from the Python Code. For other documentation, please consult the links in the Readme for the [ACA-Py GitHub Repo](#).

If you are getting started with verifiable credentials or Aries, we recommend that you start with this [verifiable credentials and agents getting started guide](#).

Want to quick overview of the deployment model for ACA-Py? See [this document](#).

To investigate the code, use search or click the package links in the left menu to drill into the modules, subpackages and submodules that make up ACA-Py.

Developers that are interested in what DIDComm protocols are supported in ACA-Py should take a look at the [protocols](#) package. These should align with the corresponding [aries-rfcs protocols](#). Decorators defined in aries-rfcs and implemented in ACA-Py can be found [here](#). Some general purpose subpackages that might be of interest include [wallet](#) and [storage](#). For those agents playing different roles in a verifiable credential exchange, take a look at the [issuer](#), [holder](#) and [verifier](#) packages.

Please see the [ACA-Py Contribution guidelines](#) for how to contribute to ACA-Py, including for how to submit issues about ACA-Py.

aries_cloudagent package

1.1 Subpackages

1.1.1 aries_cloudagent.admin package

Submodules

aries_cloudagent.admin.base_server module

aries_cloudagent.admin.error module

aries_cloudagent.admin.server module

1.1.2 aries_cloudagent.cache package

Submodules

aries_cloudagent.cache.base module

aries_cloudagent.cache.basic module

1.1.3 aries_cloudagent.commands package

Submodules

aries_cloudagent.commands.help module

aries_cloudagent.commands.provision module

`aries_cloudagent.commands.start` module

1.1.4 `aries_cloudagent.config` package

Submodules

`aries_cloudagent.config.argparse` module

`aries_cloudagent.config.base` module

`aries_cloudagent.config.base_context` module

`aries_cloudagent.config.default_context` module

`aries_cloudagent.config.error` module

`aries_cloudagent.config.injection_context` module

`aries_cloudagent.config.injector` module

`aries_cloudagent.config.ledger` module

`aries_cloudagent.config.logging` module

`aries_cloudagent.config.provider` module

`aries_cloudagent.config.settings` module

`aries_cloudagent.config.util` module

`aries_cloudagent.config.wallet` module

1.1.5 `aries_cloudagent.core` package

Submodules

`aries_cloudagent.core.conductor` module

`aries_cloudagent.core.dispatcher` module

`aries_cloudagent.core.error` module

`aries_cloudagent.core.plugin_registry` module

`aries_cloudagent.core.protocol_registry` module

1.1.6 `aries_cloudagent.holder` package

Submodules

`aries_cloudagent.holder.base` module

`aries_cloudagent.holder.indy` module

`aries_cloudagent.holder.routes` module

1.1.7 `aries_cloudagent.indy` package

Submodules

`aries_cloudagent.indy.error` module

`aries_cloudagent.indy.util` module

1.1.8 `aries_cloudagent.issuer` package

Submodules

`aries_cloudagent.issuer.base` module

`aries_cloudagent.issuer.indy` module

1.1.9 `aries_cloudagent.ledger` package

Submodules

`aries_cloudagent.ledger.base` module

`aries_cloudagent.ledger.error` module

`aries_cloudagent.ledger.indy` module

`aries_cloudagent.ledger.provider` module

`aries_cloudagent.ledger.routes` module

`aries_cloudagent.ledger.util` module

1.1.10 `aries_cloudagent.messaging` package

Subpackages

`aries_cloudagent.messaging.ack` package

Submodules

`aries_cloudagent.messaging.ack.message` module

`aries_cloudagent.messaging.credential_definitions` package

Submodules

`aries_cloudagent.messaging.credential_definitions.routes` module

`aries_cloudagent.messaging.credential_definitions.util` module

`aries_cloudagent.messaging.decorators` package

Submodules

`aries_cloudagent.messaging.decorators.attach_decorator` module

`aries_cloudagent.messaging.decorators.base` module

`aries_cloudagent.messaging.decorators.default` module

`aries_cloudagent.messaging.decorators.localization_decorator` module

`aries_cloudagent.messaging.decorators.please_ack_decorator` module

`aries_cloudagent.messaging.decorators.signature_decorator` module

`aries_cloudagent.messaging.decorators.thread_decorator` module

`aries_cloudagent.messaging.decorators.timing_decorator` module

`aries_cloudagent.messaging.decorators.trace_decorator` module

`aries_cloudagent.messaging.decorators.transport_decorator` module

`aries_cloudagent.messaging.jsonld` package

Submodules

`aries_cloudagent.messaging.jsonld.create_verify_data` module

`aries_cloudagent.messaging.jsonld.credential` module

`aries_cloudagent.messaging.jsonld.routes` module

`aries_cloudagent.messaging.models` package

Submodules

`aries_cloudagent.messaging.models.base` module

`aries_cloudagent.messaging.models.base_record` module

`aries_cloudagent.messaging.schemas` package

Submodules

`aries_cloudagent.messaging.schemas.routes` module

`aries_cloudagent.messaging.schemas.util` module

Submodules

`aries_cloudagent.messaging.agent_message` module

`aries_cloudagent.messaging.base_handler` module

`aries_cloudagent.messaging.error` module

`aries_cloudagent.messaging.request_context` module

`aries_cloudagent.messaging.responder` module

`aries_cloudagent.messaging.util` module

`aries_cloudagent.messaging.valid` module

1.1.11 `aries_cloudagent.revocation` package

Subpackages

`aries_cloudagent.revocation.models` package

Submodules

`aries_cloudagent.revocation.models.indy` module

`aries_cloudagent.revocation.models.issuer_rev_reg_record` module

`aries_cloudagent.revocation.models.revocation_registry` module

Submodules

`aries_cloudagent.revocation.error` module

`aries_cloudagent.revocation.indy` module

`aries_cloudagent.revocation.routes` module

1.1.12 `aries_cloudagent.storage` package

Submodules

`aries_cloudagent.storage.base` module

`aries_cloudagent.storage.basic` module

`aries_cloudagent.storage.error` module

`aries_cloudagent.storage.indy` module

`aries_cloudagent.storage.provider` module

`aries_cloudagent.storage.record` module

1.1.13 `aries_cloudagent.transport` package

Subpackages

`aries_cloudagent.transport.inbound` package

Submodules

`aries_cloudagent.transport.inbound.base` module

`aries_cloudagent.transport.inbound.delivery_queue` module

`aries_cloudagent.transport.inbound.http` module

`aries_cloudagent.transport.inbound.manager` module

`aries_cloudagent.transport.inbound.message` module

`aries_cloudagent.transport.inbound.receipt` module

`aries_cloudagent.transport.inbound.session` module

`aries_cloudagent.transport.inbound.ws` module

`aries_cloudagent.transport.outbound` package

Submodules

`aries_cloudagent.transport.outbound.base` module

`aries_cloudagent.transport.outbound.http` module

`aries_cloudagent.transport.outbound.manager` module

`aries_cloudagent.transport.outbound.message` module

`aries_cloudagent.transport.outbound.ws` module

`aries_cloudagent.transport.queue` package

Submodules

`aries_cloudagent.transport.queue.base` module

`aries_cloudagent.transport.queue.basic` module

Submodules

`aries_cloudagent.transport.error` module

`aries_cloudagent.transport.pack_format` module

`aries_cloudagent.transport.stats` module

`aries_cloudagent.transport.wire_format` module

1.1.14 `aries_cloudagent.utils` package

Submodules

`aries_cloudagent.utils.classloader` module

`aries_cloudagent.utils.http` module

`aries_cloudagent.utils.outofband` module

`aries_cloudagent.utils.repeat` module

`aries_cloudagent.utils.stats` module

`aries_cloudagent.utils.task_queue` module

`aries_cloudagent.utils.temp` module

`aries_cloudagent.utils.tracing` module

1.1.15 `aries_cloudagent.verifier` package

Submodules

`aries_cloudagent.verifier.base` module

`aries_cloudagent.verifier.indy` module

1.1.16 `aries_cloudagent.wallet` package

Submodules

`aries_cloudagent.wallet.base` module

`aries_cloudagent.wallet.basic` module

`aries_cloudagent.wallet.crypto` module

`aries_cloudagent.wallet.error` module

`aries_cloudagent.wallet.indy` module

`aries_cloudagent.wallet.plugin` module

`aries_cloudagent.wallet.provider` module

`aries_cloudagent.wallet.routes` module

`aries_cloudagent.wallet.util` module

1.2 Submodules

1.3 `aries_cloudagent.version` module

aries_cloudagent.connections package

2.1 Subpackages

2.1.1 aries_cloudagent.connections.models package

Subpackages

aries_cloudagent.connections.models.diddoc package

Submodules

aries_cloudagent.connections.models.diddoc.diddoc module

aries_cloudagent.connections.models.diddoc.publickey module

aries_cloudagent.connections.models.diddoc.service module

aries_cloudagent.connections.models.diddoc.util module

Submodules

aries_cloudagent.connections.models.connection_record module

aries_cloudagent.connections.models.connection_target module

aries_cloudagent.protocols package

3.1 Subpackages

3.1.1 aries_cloudagent.protocols.actionmenu package

Subpackages

aries_cloudagent.protocols.actionmenu.v1_0 package

Subpackages

aries_cloudagent.protocols.actionmenu.v1_0.handlers package

Submodules

aries_cloudagent.protocols.actionmenu.v1_0.handlers.menu_handler module

aries_cloudagent.protocols.actionmenu.v1_0.handlers.menu_request_handler module

aries_cloudagent.protocols.actionmenu.v1_0.handlers.perform_handler module

aries_cloudagent.protocols.actionmenu.v1_0.messages package

Submodules

aries_cloudagent.protocols.actionmenu.v1_0.messages.menu module

`aries_cloudagent.protocols.actionmenu.v1_0.messages.menu_request` module

`aries_cloudagent.protocols.actionmenu.v1_0.messages.perform` module

`aries_cloudagent.protocols.actionmenu.v1_0.models` package

Submodules

`aries_cloudagent.protocols.actionmenu.v1_0.models.menu_form` module

`aries_cloudagent.protocols.actionmenu.v1_0.models.menu_form_param` module

`aries_cloudagent.protocols.actionmenu.v1_0.models.menu_option` module

Submodules

`aries_cloudagent.protocols.actionmenu.v1_0.base_service` module

`aries_cloudagent.protocols.actionmenu.v1_0.controller` module

`aries_cloudagent.protocols.actionmenu.v1_0.driver_service` module

`aries_cloudagent.protocols.actionmenu.v1_0.message_types` module

`aries_cloudagent.protocols.actionmenu.v1_0.routes` module

`aries_cloudagent.protocols.actionmenu.v1_0.util` module

Submodules

`aries_cloudagent.protocols.actionmenu.definition` module

3.1.2 `aries_cloudagent.protocols.basicmessage` package

Subpackages

`aries_cloudagent.protocols.basicmessage.v1_0` package

Subpackages

`aries_cloudagent.protocols.basicmessage.v1_0.handlers` package

Submodules

`aries_cloudagent.protocols.basicmessage.v1_0.handlers.basicmessage_handler` module

`aries_cloudagent.protocols.basicmessage.v1_0.messages` package

Submodules

`aries_cloudagent.protocols.basicmessage.v1_0.messages.basicmessage` module

Submodules

`aries_cloudagent.protocols.basicmessage.v1_0.message_types` module

`aries_cloudagent.protocols.basicmessage.v1_0.routes` module

Submodules

`aries_cloudagent.protocols.basicmessage.definition` module

3.1.3 `aries_cloudagent.protocols.connections` package

Subpackages

`aries_cloudagent.protocols.connections.v1_0` package

Subpackages

`aries_cloudagent.protocols.connections.v1_0.handlers` package

Submodules

`aries_cloudagent.protocols.connections.v1_0.handlers.connection_invitation_handler` module

`aries_cloudagent.protocols.connections.v1_0.handlers.connection_request_handler` module

`aries_cloudagent.protocols.connections.v1_0.handlers.connection_response_handler` module

`aries_cloudagent.protocols.connections.v1_0.messages` package

Submodules

`aries_cloudagent.protocols.connections.v1_0.messages.connection_invitation` module

`aries_cloudagent.protocols.connections.v1_0.messages.connection_request` module

`aries_cloudagent.protocols.connections.v1_0.messages.connection_response` module

`aries_cloudagent.protocols.connections.v1_0.messages.problem_report` module

`aries_cloudagent.protocols.connections.v1_0.models` package

Submodules

`aries_cloudagent.protocols.connections.v1_0.models.connection_detail` module

Submodules

`aries_cloudagent.protocols.connections.v1_0.manager` module

`aries_cloudagent.protocols.connections.v1_0.message_types` module

`aries_cloudagent.protocols.connections.v1_0.routes` module

Submodules

`aries_cloudagent.protocols.connections.definition` module

3.1.4 `aries_cloudagent.protocols.discovery` package

Subpackages

`aries_cloudagent.protocols.discovery.v1_0` package

Subpackages

`aries_cloudagent.protocols.discovery.v1_0.handlers` package

Submodules

`aries_cloudagent.protocols.discovery.v1_0.handlers.disclose_handler` module

`aries_cloudagent.protocols.discovery.v1_0.handlers.query_handler` module

`aries_cloudagent.protocols.discovery.v1_0.messages` package

Submodules

`aries_cloudagent.protocols.discovery.v1_0.messages.disclose` module

`aries_cloudagent.protocols.discovery.v1_0.messages.query` module

Submodules

`aries_cloudagent.protocols.discovery.v1_0.message_types` module

`aries_cloudagent.protocols.discovery.v1_0.routes` module

Submodules

`aries_cloudagent.protocols.discovery.definition` module

3.1.5 `aries_cloudagent.protocols.introduction` package

Subpackages

`aries_cloudagent.protocols.introduction.v0_1` package

Subpackages

`aries_cloudagent.protocols.introduction.v0_1.handlers` package

Submodules

`aries_cloudagent.protocols.introduction.v0_1.handlers.forward_invitation_handler` module

`aries_cloudagent.protocols.introduction.v0_1.handlers.invitation_handler` module

`aries_cloudagent.protocols.introduction.v0_1.handlers.invitation_request_handler` module

`aries_cloudagent.protocols.introduction.v0_1.messages` package

Submodules

`aries_cloudagent.protocols.introduction.v0_1.messages.forward_invitation` module

`aries_cloudagent.protocols.introduction.v0_1.messages.invitation` module

`aries_cloudagent.protocols.introduction.v0_1.messages.invitation_request` module

Submodules

`aries_cloudagent.protocols.introduction.v0_1.base_service` module

`aries_cloudagent.protocols.introduction.v0_1.demo_service` module

`aries_cloudagent.protocols.introduction.v0_1.message_types` module

`aries_cloudagent.protocols.introduction.v0_1.routes` module

Submodules

`aries_cloudagent.protocols.introduction.definition` module

3.1.6 `aries_cloudagent.protocols.issue_credential` package

Subpackages

`aries_cloudagent.protocols.issue_credential.v1_0` package

Subpackages

`aries_cloudagent.protocols.issue_credential.v1_0.handlers` package

Submodules

`aries_cloudagent.protocols.issue_credential.v1_0.handlers.credential_ack_handler` module

`aries_cloudagent.protocols.issue_credential.v1_0.handlers.credential_issue_handler` module

`aries_cloudagent.protocols.issue_credential.v1_0.handlers.credential_offer_handler` module

`aries_cloudagent.protocols.issue_credential.v1_0.handlers.credential_proposal_handler` module

`aries_cloudagent.protocols.issue_credential.v1_0.handlers.credential_request_handler` module

`aries_cloudagent.protocols.issue_credential.v1_0.messages` package

Subpackages

`aries_cloudagent.protocols.issue_credential.v1_0.messages.inner` package

Submodules

`aries_cloudagent.protocols.issue_credential.v1_0.messages.inner.credential_preview` module

Submodules

`aries_cloudagent.protocols.issue_credential.v1_0.messages.credential_ack` module

`aries_cloudagent.protocols.issue_credential.v1_0.messages.credential_issue` module

`aries_cloudagent.protocols.issue_credential.v1_0.messages.credential_offer` module

`aries_cloudagent.protocols.issue_credential.v1_0.messages.credential_proposal` module

`aries_cloudagent.protocols.issue_credential.v1_0.messages.credential_request` module

`aries_cloudagent.protocols.issue_credential.v1_0.models` package

Submodules

`aries_cloudagent.protocols.issue_credential.v1_0.models.credential_exchange` module

Submodules

`aries_cloudagent.protocols.issue_credential.v1_0.manager` module

`aries_cloudagent.protocols.issue_credential.v1_0.message_types` module

`aries_cloudagent.protocols.issue_credential.v1_0.routes` module

Submodules

`aries_cloudagent.protocols.issue_credential.definition` module

3.1.7 `aries_cloudagent.protocols.present_proof` package

Subpackages

`aries_cloudagent.protocols.present_proof.v1_0` package

Subpackages

`aries_cloudagent.protocols.present_proof.v1_0.handlers` package

Submodules

`aries_cloudagent.protocols.present_proof.v1_0.handlers.presentation_ack_handler` module

`aries_cloudagent.protocols.present_proof.v1_0.handlers.presentation_handler` module

`aries_cloudagent.protocols.present_proof.v1_0.handlers.presentation_proposal_handler` module

`aries_cloudagent.protocols.present_proof.v1_0.handlers.presentation_request_handler` module

`aries_cloudagent.protocols.present_proof.v1_0.messages` package

Subpackages

`aries_cloudagent.protocols.present_proof.v1_0.messages.inner` package

Submodules

`aries_cloudagent.protocols.present_proof.v1_0.messages.inner.presentation_preview` module

Submodules

`aries_cloudagent.protocols.present_proof.v1_0.messages.presentation` module

`aries_cloudagent.protocols.present_proof.v1_0.messages.presentation_ack` module

`aries_cloudagent.protocols.present_proof.v1_0.messages.presentation_proposal` module

`aries_cloudagent.protocols.present_proof.v1_0.messages.presentation_request` module

`aries_cloudagent.protocols.present_proof.v1_0.models` package

Submodules

`aries_cloudagent.protocols.present_proof.v1_0.models.presentation_exchange` module

`aries_cloudagent.protocols.present_proof.v1_0.util` package

Submodules

`aries_cloudagent.protocols.present_proof.v1_0.util.indy` module

`aries_cloudagent.protocols.present_proof.v1_0.util.predicate` module

Submodules

`aries_cloudagent.protocols.present_proof.v1_0.manager` module

`aries_cloudagent.protocols.present_proof.v1_0.message_types` module

`aries_cloudagent.protocols.present_proof.v1_0.routes` module

Submodules

`aries_cloudagent.protocols.present_proof.definition` module

3.1.8 `aries_cloudagent.protocols.problem_report` package

Subpackages

`aries_cloudagent.protocols.problem_report.v1_0` package

Submodules

`aries_cloudagent.protocols.problem_report.v1_0.handler` module

`aries_cloudagent.protocols.problem_report.v1_0.message` module

`aries_cloudagent.protocols.problem_report.v1_0.message_types` module

Submodules

`aries_cloudagent.protocols.problem_report.definition` module

3.1.9 `aries_cloudagent.protocols.routing` package

Subpackages

`aries_cloudagent.protocols.routing.v1_0` package

Subpackages

`aries_cloudagent.protocols.routing.v1_0.handlers` package

Submodules

`aries_cloudagent.protocols.routing.v1_0.handlers.forward_handler` module

`aries_cloudagent.protocols.routing.v1_0.handlers.route_query_request_handler` module

`aries_cloudagent.protocols.routing.v1_0.handlers.route_query_response_handler` module

`aries_cloudagent.protocols.routing.v1_0.handlers.route_update_request_handler` module

`aries_cloudagent.protocols.routing.v1_0.handlers.route_update_response_handler` module

`aries_cloudagent.protocols.routing.v1_0.messages` package

Submodules

`aries_cloudagent.protocols.routing.v1_0.messages.forward` module

`aries_cloudagent.protocols.routing.v1_0.messages.route_query_request` module

`aries_cloudagent.protocols.routing.v1_0.messages.route_query_response` module

`aries_cloudagent.protocols.routing.v1_0.messages.route_update_request` module

`aries_cloudagent.protocols.routing.v1_0.messages.route_update_response` module

`aries_cloudagent.protocols.routing.v1_0.models` package

Submodules

`aries_cloudagent.protocols.routing.v1_0.models.paginate` module

`aries_cloudagent.protocols.routing.v1_0.models.paginated` module

`aries_cloudagent.protocols.routing.v1_0.models.route_query_result` module

`aries_cloudagent.protocols.routing.v1_0.models.route_record` module

`aries_cloudagent.protocols.routing.v1_0.models.route_update` module

`aries_cloudagent.protocols.routing.v1_0.models.route_updated` module

Submodules

`aries_cloudagent.protocols.routing.v1_0.manager` module

`aries_cloudagent.protocols.routing.v1_0.message_types` module

Submodules

`aries_cloudagent.protocols.routing.definition` module

3.1.10 `aries_cloudagent.protocols.trustping` package

Subpackages

`aries_cloudagent.protocols.trustping.v1_0` package

Subpackages

`aries_cloudagent.protocols.trustping.v1_0.handlers` package

Submodules

`aries_cloudagent.protocols.trustping.v1_0.handlers.ping_handler` module

`aries_cloudagent.protocols.trustping.v1_0.handlers.ping_response_handler` module

`aries_cloudagent.protocols.trustping.v1_0.messages` package

Submodules

`aries_cloudagent.protocols.trustping.v1_0.messages.ping` module

`aries_cloudagent.protocols.trustping.v1_0.messages.ping_response` module

Submodules

`aries_cloudagent.protocols.trustping.v1_0.message_types` module

`aries_cloudagent.protocols.trustping.v1_0.routes` module

Submodules

`aries_cloudagent.protocols.trustping.definition` module

CHAPTER 4

Indices and tables

- `genindex`